ELSEVIER

Wear 199 (1996) 287

WEAR

Author Index of Volume 199

Al-Bsharat, A.S., 1
Andersson, S., 202

Bai, M., 222
Bai, X.J., 82
Basak, A., 33
Belmonte, M., 54
Björklund, S., 202

Chakrabarti, A.K., 33
Chen, Z., 74
Chen, Z.-K., 237
Cherif, K., 113
Chern Lin, J.H., 228
Czołczyński, K., 100

De With, G., 122
Duda, J.L., 217

Elsharkawy, A.A., 45

Gibson, E.D., 74
Gueroult, B., 113
Guo, W.-K., 89
Gupta, M.K., 33

Hassan, A.M., 1
Horng, C.-C., 89
Hugnell, A.B.-J., 202
Hwang, Y.-D., 89

Iino, Y., 211
Ikada, Y., 197
Ikeuchi, K., 197

Jiang, X.X., 253
Ju, C.P., 228
Jurado, J.R., 54

Kapitaniak, T., 100
Kim, T.J., 275
Kim, T.Y., 211
Klaus, E.E., 217
Komvopoulos, K., 9
Kouchiyama, M., 197

Lee, K.J., 228
Li, D.F., 66
Li, S., 66
Li, S.Z., 66, 253
Li, Z.J., 82
Lian, Y., 181
Liang, Y.N., 66
Liu, P., 74
Liu, S.K., 82
Liu, W., 153, 217, 222

Mao, Z.Y., 283
Marynowski, K., 100
Minemura, K., 36
Miranzo, P., 54
Mizuno, T., 260
Mruk, I., 127
Mulki, H., 260
Mun, S.D., 211

Pancewicz, T., 127
Pankow, D.R., 160
Patwardhan, A.K., 142
Philpott, M.L., 160
Prasad, B.K., 142

Quinn, T.F.J., 169

Rigaud, M., 113
Rymuza, Z., 187

Sawa, K., 237
Slikkerveer, P.J., 122
Su, Y.L., 132
Su, Y.-T., 89

Tamada, K., 245
Tanaka, H., 245
Tomita, N., 197
Treheux, D., 54

Uyama, Y., 197

Vandenberg, D., 160
Van der Velden, P., 122
Verhoeven, J.D., 74
Verspui, M.A., 122

Wang, B., 24
Wang, B.Q., 268
Wang, D.F., 283
Wei, J., 157
Welcher, B.P., 160
Wu, C.T., 132

Xue, Q., 60, 153, 157, 181, 222

Yang, D., 60
Yang, S., 222
Yao, S.H., 132
Yegneswaran, A.H., 142
Yu, L., 181

Zeng, J., 275
Zhang, T.C., 253
Zhang, Z., 153
Zhong, Y., 36
Zhou, J., 60
Zhu, H.X., 82

Elsevier Science S.A.

ELSEVIER

Wear 199 (1996) 289–292

WEAR

Subject Index of Volume 199

Abrasive
an erosion model for abrasive waterjet milling of polycrystalline ceramics, 275
Abrasive particles
angularity determination of abrasive powders, 122
Additive
tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, 60
Additives
wear property of silicon nitride in steel-on-Si_3N_4 and Si_3N_4-on-Si_3N_4 systems, 217
Adsorption and reaction
tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, 60
Ag contacts
characteristics of Ag contact morphology in breaking arcs, 237
Al_2O_3–SiC composites
role of triboelectrification mechanism in the wear behaviour of Al_2O_3–SiC platelet composites, 54
Alumina
wear behaviour of alumina toughened zirconia materials, 113
Aluminum-on-steel
friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, 153
Angularity
angularity determination of abrasive powders, 122
Antiwear behavior
friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, 153
Arc erosion
characteristics of Ag contact morphology in breaking arcs, 237
Austenitic stainless steel disks
computational methods applied to oxidational wear, 169

Bearings
occurrence of brittle flaking on bearings used for automotive electrical instruments and auxiliary devices, 245
Bed ash
erosion–corrosion of thermal sprayed coatings in FBC boilers, 24
Brittle
a study for erosion of Si_3N_4 ceramics by impact of solid particles, 283
Brittle flaking
occurrence of brittle flaking on bearings used for automotive electrical instruments and auxiliary devices, 245
Bronze
dry sliding wear characteristics of some zinc–aluminium alloys: a comparative study with a conventional bearing bronze at a slow speed, 142
Burnished microstructure
influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, 1

Burnishing process
influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, 1

Cams
simulation of the mild wear in a cam–follower contact with follower rotation, 202
Carbon–carbon composite
surface effect on braking behavior of PAN-pitch carbon–carbon composite, 228
Carbon fibres
sliding wear behavior of planar random zinc–alloy matrix composites, 82
Carbonitrides
erosive and erosive–corrosive wear behaviour of cast nitrogenated stainless steels, 33
Cast Fe–Mo–S alloy
the improved friction and wear properties of cast Fe–Mo–S wear-resistant alloy by cerium dioxide doping, 181
Ceramic coatings
comparisons of characterizations and tribological performance of TiN and CrN deposited by cathodic arc plasma deposition process, 132
Ceramics
role of triboelectrification mechanism in the wear behaviour of Al_2O_3–SiC platelet composites, 54
wear property of silicon nitride in steel-on-Si_3N_4 and Si_3N_4-on-Si_3N_4 systems, 217
an erosion model for abrasive waterjet milling of polycrystalline ceramics, 275
Cerium dioxide
the improved friction and wear properties of cast Fe–Mo–S wear-resistant alloy by cerium dioxide doping, 181
Chloride-induced brittle-fracture
acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, 253
Constant velocity joints
a two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 160
Contact mechanics
simulation of the mild wear in a cam–follower contact with follower rotation, 202
Contact mechanisms
contact mechanics of zinc-coated steel sheets, 260
Contact morphology
characteristics of Ag contact morphology in breaking arcs, 237
Corrosive
erosive and erosive–corrosive wear behaviour of cast nitrogenated stainless steels, 33
Corrosive wear
acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, 253

Elsevier Science S.A.

Cr_2O_3 coating
the friction and wear properties of Cr_2O_3 coating with aqueous lubrication, 157
Crack face mechanisms
subsurface crack mechanisms under indentation loading, 9
Curvature plot
angularity determination of abrasive powders, 122
CV metrology
a two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 160
CV wear
a two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 160

Deposition
characteristics of Ag contact morphology in breaking arcs, 237
Dialkydithiocarbamate–phenanthroline–La
friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, 153
Division of heat
computational methods applied to oxidational wear, 169
Dry sliding
tribological behavior of Cu–20%Nb and Cu–15%Cr in situ composites under dry sliding conditions, 74
Ductile
a study for erosion of Si_3N_4 ceramics by impact of solid particles, 283
Duplex stainless steel
acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, 253
Dynamic hardness
some developments for single-pass pendulum scratching, 66

Elastohydrodynamic lubrication
visco-elastohydrodynamic lubrication of line contacts, 45
Electrical instruments
occurrence of brittle flaking on bearings used for automotive electrical instruments and auxiliary devices, 245
Electrical properties
role of triboelectrification mechanism in the wear behaviour of Al_2O_3–SiC platelet composites, 54
Environment temperature
effect of alkali chlorides on erosion–corrosion of cooled mild steel and Cr_3C_2–NiCr coating, 268
Erosion
an erosion model for abrasive waterjet milling of polycrystalline ceramics, 275
a study for erosion of Si_3N_4 ceramics by impact of solid particles, 283
Erosion–corrosion
erosion–corrosion of thermal sprayed coatings in FBC boilers, 24
effect of alkali chlorides on erosion–corrosion of cooled mild steel and Cr_3C_2–NiCr coating, 268
Erosion damage
measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, 36

Finite element method
subsurface crack mechanisms under indentation loading, 9
Fluidized bed combustor
erosion–corrosion of thermal sprayed coatings in FBC boilers, 24
effect of alkali chlorides on erosion–corrosion of cooled mild steel and Cr_3C_2–NiCr coating, 268
Fly ash
erosion–corrosion of thermal sprayed coatings in FBC boilers, 24
Followers
simulation of the mild wear in a cam–follower contact with follower rotation, 202
Friction
subsurface crack mechanisms under indentation loading, 9
wear behaviour of alumina toughened zirconia materials, 113
energy concept of the coefficient of friction, 187
surface effect on braking behavior of PAN-pitch carbon–carbon composite, 228
Friction and wear
the friction and wear properties of Cr_2O_3 coating with aqueous lubrication, 157
Friction coefficient
energy concept of the coefficient of friction, 187
Friction control
friction control with a graft layer of a thermo-sensing polymer, 197
Friction energy
energy concept of the coefficient of friction, 187

Gas bearings
stability of rotors supported in gas bearings with bushes mounted in air rings, 100
Graft layer
friction control with a graft layer of a thermo-sensing polymer, 197
Grease additive
friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, 153

High-chromium ferritic steel pins
computational methods applied to oxidational wear, 169
Holographic contouring
holographic contouring for determination of three-dimensional description of surface roughness, 127
Hydrodynamic polishing
effects of tool surface irregularities on machining rate of a hydrodynamic polishing process, 89

Indentation loading
subsurface crack mechanisms under indentation loading, 9
In situ composites
tribological behavior of Cu–20%Nb and Cu–15%Cr in situ composites under dry sliding conditions, 74
Ion implantation
tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, 60
Isothermal specimens
effect of alkali chlorides on erosion–corrosion of cooled mild steel and Cr_3C_2–NiCr coating, 268
Iterative Newton–Raphson method
visco-elastohydrodynamic lubrication of line contacts, 45

Jet
an erosion model for abrasive waterjet milling of polycrystalline ceramics, 275

Linear elastic fracture mechanics
subsurface crack mechanisms under indentation loading, 9

Machining rate
effects of tool surface irregularities on machining rate of a hydrodynamic polishing process, 89
Metallurgical coatings
comparisons of characterizations and tribological performance of TiN and CrN deposited by cathodic arc plasma deposition process, 132
Metal matrix composite
sliding wear behavior of planar random zinc–alloy matrix composites, 82

Metal–matrix composites
wear mechanisms of $K_2Ti_4O_9$ whiskers reinforced Al–20Si aluminum matrix composites with lubrication of water and tetradecane, 222
Microcracking
a study for erosion of Si_3N_4 ceramics by impact of solid particles, 283
Microploughing
a study for erosion of Si_3N_4 ceramics by impact of solid particles, 283
Microstructure
dry sliding wear characteristics of some zinc–aluminium alloys: a comparative study with a conventional bearing bronze at a slow speed, 142
surface effect on braking behavior of PAN-pitch carbon–carbon composite, 228
Milling
an erosion model for abrasive waterjet milling of polycrystalline ceramics, 275
Modelling
an erosion model for abrasive waterjet milling of polycrystalline ceramics, 275

Nickel
tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, 60
Nitrides
comparisons of characterizations and tribological performance of TiN and CrN deposited by cathodic arc plasma deposition process, 132
Nitrogenation
erosive and erosive–corrosive wear behaviour of cast nitrogenated stainless steels, 33
Number of burnishing tool passes
influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, 1
Numerical method
computational methods applied to oxidational wear, 169
Numerical prediction
measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, 36

Optical full field method
holographic contouring for determination of three-dimensional description of surface roughness, 127
Oxidational wear
computational methods applied to oxidational wear, 169
Oxidational wear rates
computational methods applied to oxidational wear, 169
Oxide films
characteristics of Ag contact morphology in breaking arcs, 237

Particle impingement
measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, 36
Particle shape
angularity determination of abrasive powders, 122
Pixel noise
angularity determination of abrasive powders, 122
Plasma deposition
comparisons of characterizations and tribological performance of TiN and CrN deposited by cathodic arc plasma deposition process, 132
Plastically deformed layer
machined surface plastic strain in orthogonal cutting by subsequent recrystallizations technique, 211
Plastic strain
machined surface plastic strain in orthogonal cutting by subsequent recrystallizations technique, 211
PNIPAAM
friction control with a graft layer of a thermo-sensing polymer, 197
Pump casing
measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, 36

Quartz doped with NaCl or KCl
effect of alkali chlorides on erosion–corrosion of cooled mild steel and Cr_3C_2–NiCr coating, 268

Race wear
a two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 160
Regression analysis
a two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 160
Roughness parameters
holographic contouring for determination of three-dimensional description of surface roughness, 127
Rzeppa joints
a two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 160

Scratching friction coefficient
some developments for single-pass pendulum scratching, 66
Sensitisation
erosive and erosive–corrosive wear behaviour of cast nitrogenated stainless steels, 33
Si_3N_4
a study for erosion of Si_3N_4 ceramics by impact of solid particles, 283
SiC platelets
role of triboelectrification mechanism in the wear behaviour of Al_2O_3–SiC platelet composites, 54
Silicon nitride
wear property of silicon nitride in steel-on-Si_3N_4 and Si_3N_4-on-Si_3N_4 systems, 217
Simulated wear
simulation of the mild wear in a cam–follower contact with follower rotation, 202
Single-pass pendulum scratching
some developments for single-pass pendulum scratching, 66
Sliding wear
dry sliding wear characteristics of some zinc–aluminium alloys: a comparative study with a conventional bearing bronze at a slow speed, 142
Slurry
erosive and erosive–corrosive wear behaviour of cast nitrogenated stainless steels, 33
Specific energy
some developments for single-pass pendulum scratching, 66
Stability
stability of rotors supported in gas bearings with bushes mounted in air rings, 100
Stainless
erosive and erosive–corrosive wear behaviour of cast nitrogenated stainless steels, 33
Steel
wear property of silicon nitride in steel-on-Si_3N_4 and Si_3N_4-on-Si_3N_4 systems, 217
Stress intensity factor
subsurface crack mechanisms under indentation loading, 9
Subsequent recrystallizations technique
machined surface plastic strain in orthogonal cutting by subsequent recrystallizations technique, 211
Subsurface cracks
subsurface crack mechanisms under indentation loading, 9
Subsurface hardness
influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, 1

Surface hardness
influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, 1
Surface integrity
machined surface plastic strain in orthogonal cutting by subsequent recrystallizations technique, 211
Surface roughness
influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, 1
holographic contouring for determination of three-dimensional description of surface roughness, 127
Synergy
acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, 253

Thermal effect
characteristics of Ag contact morphology in breaking arcs, 237
Thermal sprayed coating
erosion–corrosion of thermal sprayed coatings in FBC boilers, 24
Thermo-sensing polymer
friction control with a graft layer of a thermo-sensing polymer, 197
Tool surface
effects of tool surface irregularities on machining rate of a hydrodynamic polishing process, 89
Trajectory
measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, 36
Tribochemical behavior
tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, 60
Tribochemical mechanism
the friction and wear properties of Cr_2O_3 coating with aqueous lubrication, 157
Tribochemical reaction
occurrence of brittle flaking on bearings used for automotive electrical instruments and auxiliary devices, 245
Triboelectrification
role of triboelectrification mechanism in the wear behaviour of Al_2O_3–SiC platelet composites, 54
Tribological oxidation constants
computational methods applied to oxidational wear, 169
Tribology
tribological behavior of Cu–20%Nb and Cu–15%Cr in situ composites under dry sliding conditions, 74
energy concept of the coefficient of friction, 187
Turbomachinery
measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, 36

Upper bound approach
contact mechanics of zinc-coated steel sheets, 260

Viscoelasticity
visco-elastohydrodynamic lubrication of line contacts, 45

Water-based lubricants
the friction and wear properties of Cr_2O_3 coating with aqueous lubrication, 157
Water-cooled specimen
effect of alkali chlorides on erosion–corrosion of cooled mild steel and Cr_3C_2–NiCr coating, 268
Water lubrication
friction control with a graft layer of a thermo-sensing polymer, 197
Wear
wear behaviour of alumina toughened zirconia materials, 113
wear mechanisms of $K_2Ti_4O_9$ whiskers reinforced Al–20Si aluminum matrix composites with lubrication of water and tetradecane, 222
surface effect on braking behavior of PAN-pitch carbon–carbon composite, 228
Wear behavior
sliding wear behavior of planar random zinc–alloy matrix composites, 82
Wear behaviour
role of triboelectrification mechanism in the wear behaviour of Al_2O_3–SiC platelet composites, 54
Wear mechanism
wear mechanisms of $K_2Ti_4O_9$ whiskers reinforced Al–20Si aluminum matrix composites with lubrication of water and tetradecane, 222
Wear mechanisms
dry sliding wear characteristics of some zinc–aluminium alloys: a comparative study with a conventional bearing bronze at a slow speed, 142
Wear resistance
the improved friction and wear properties of cast Fe–Mo–S wear-resistant alloy by cerium dioxide doping, 181

XPS and AES analyses
friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithio-carbamate and phenanthroline, 153

Zinc alloy
sliding wear behavior of planar random zinc–alloy matrix composites, 82
Zinc-based alloys
dry sliding wear characteristics of some zinc–aluminium alloys: a comparative study with a conventional bearing bronze at a slow speed, 142
Zinc-coated steel sheets
contact mechanics of zinc-coated steel sheets, 260
Zirconia
wear behaviour of alumina toughened zirconia materials, 113